

## Animal Product Residue Monitoring Programmes 2002 - 2003

**Table 1 – Total DDT – Summary Results**

mg/kg	Ostrich	Beef cow	Bobby calf	Bull	Dairy cow	Ewe	Goat	Heifer	Horse	Lamb	Pigs	Deer	Steer	Broiler
0.5	24	14	18	14	12	46	2	15	53	42	23	0	15	30
1	6	0	0	0	0	0	0	0	0	1	0	0	0	0
1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	2	0	0	0	0	0	0	0	0	0	0	0	0	0
2.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	32	14	18	14	12	46	2	15	53	43	23	0	15	30



**Table 3: Number of Results between the Limit of Detection and the Maximum Residue Level for specific agricultural compounds**

	Hexachloro-cyclohexane	Zeranol	Ivermectin	Doramectin	Dieldrin	Abamectin	PCBs	Carbadox	Mercury	Eprinomectin	Fenbendazole	Albendazole	Levamisole	Nicarbazin/Amprolium	Anticoccidials	Permethrin	Tetrachlorvinphos	Methomyl	Piperonyl butoxide
	Fat	Urine/retina	Liver	Liver	Fat	Liver	Fat	Liver	Kidney	Liver	Liver	Liver	Liver	Liver	Liver	Fat	Fat		
Beef cow	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bobby	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bull	0	13	1	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Dairy cow	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ewe	1	5	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Goat	0	0	0	0	0	0	1	0	0	0	0	4	0	0	0	0	0	0	0
Heifer	0	22	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Horse	0	0	0	0	2	0	10	0	0	0	0	0	0	0	0	0	0	0	0
Lamb	1	0	0	0	0	0	0	0	0	0	6	4	1	0	0	0	0	0	0
Pigs	0	0	0	0	0	0	4	10	1	0	0	0	0	0	0	0	0	0	0
Deer	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Steer	0	15	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Ostrich	0	1	0	0	2	0	0	0	15	0	0	0	0	0	0	1	1	0	0
Honey	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2
Broiler	0	0	0	0	0	0	0	0	0	0	0	0	0	11	13	0	0	0	0