

FRSP results, 05-06 for season 2, in Pumpkins, Celery and Cabbages from Auckland, Palmerston North, Christchurch, Dunedin
 218 chemicals tested for, 119 detected residues out of possible 31,056
 blank coloured cells show no residues detected (ND) for that chemical, or were within legal limits.
 - indicates not tested.

shade 1 = non-compliant result
 Three pesticides accounted for 80/144 (56%) of all residue detections and these were chlorothalonil (45), dithiocarbamates (16) and difenoconazole (17)
 Samples were taken across three weeks of the season

Sampled	Dithiocarbamates	Acetate	Captan	Carbaryl	Chlorothalonil	Chlorprotham	Chlorpyrifos	Cypermethrin	Diazinon	Deliafin	Difenoconazole	Endosulphan I	Endosulphan II	Endosulphan sulphate	Indoxacarb	Methamidophos	Methidathion	Permethrin	Pririmiphos methyl	Procymidone	Trifloxystrobin
May & Jun 06	Sample ID	0.02	0.02	0.01	0.02	0.01	0.003	0.01	0.01	0.005	0.01	0.005	0.005	0.005	0.01	0.02	0.02	0.01	0.01	0.01	0.02
May	20/SZAK1	2.5	ND	ND	1.7	ND	ND	ND	ND	ND	0.016	0.006	0.016	0.006	0.016	0.028	0.03	ND	ND	ND	ND
Celery	20/SZAK2	1.19	ND	ND	0.03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZAK3	0.04	0.44	ND	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.08	ND	ND	ND	0.09	ND
Celery	20/SZAK4	0.54	ND	ND	0.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN1	ND	ND	ND	1.7	ND	ND	ND	ND	ND	0.018	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN2	1.09	ND	ND	0.89	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN3	0.53	ND	ND	ND	ND	ND	ND	ND	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN4	0.12	ND	ND	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZCH1	ND	ND	ND	1.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	ND	ND	ND
Celery	20/SZCH2	ND	ND	ND	0.95	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	ND	ND	ND	ND	ND	ND
Celery	20/SZCH3	ND	ND	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZCH4	ND	ND	ND	0.63	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	ND	ND	ND
Celery	20/SZCH5	ND	ND	ND	1.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZDN2	ND	ND	ND	1.4	ND	ND	ND	ND	ND	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZDN3	ND	ND	ND	2.9	ND	ND	ND	ND	0.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZDN4	ND	ND	ND	0.75	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZAK5	1.4	ND	ND	0.97	ND	ND	ND	ND	ND	0.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZAK6	0.43	ND	ND	0.48	ND	ND	ND	ND	0.13	ND	ND	ND	ND	ND	0.27	ND	ND	ND	ND	ND
Celery	20/SZAK7	ND	ND	ND	3.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03	ND	ND	ND	ND	ND	ND
Celery	20/SZAK8	0.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN5	0.19	ND	ND	1.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN6	ND	ND	ND	1.7	ND	ND	ND	ND	0.07	ND	ND	ND	ND	ND	ND	0.18	ND	ND	ND	ND
Celery	20/SZPN7	0.15	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN8	0.03	ND	ND	0.16	ND	ND	ND	ND	0.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZCH5	ND	ND	ND	7.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	ND	ND	0.24
Celery	20/SZCH6	ND	ND	ND	5.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZCH7	ND	ND	ND	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZCH8	ND	ND	ND	3.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZDN5	ND	ND	ND	0.56	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZDN6	ND	ND	ND	3.9	ND	ND	ND	ND	0.08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZDN7	ND	ND	ND	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZDN8	ND	ND	ND	0.03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZAK9	ND	ND	ND	1.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05
Celery	20/SZAK10	0.8	ND	ND	3.4	ND	ND	ND	ND	0.42	ND	ND	ND	ND	ND	0.21	ND	ND	ND	ND	ND
Celery	20/SZAK11	0.49	ND	ND	1.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZAK12	1.59	ND	ND	1.7	ND	ND	ND	ND	0.26	ND	ND	ND	ND	ND	0.06	ND	ND	ND	ND	ND
Celery	20/SZPN9	ND	ND	ND	0.80	ND	0.061	0.03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN10	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN11	1.14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZCH9	ND	ND	ND	0.92	ND	ND	ND	ND	0.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZCH10	ND	ND	ND	5.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZCH11	ND	ND	ND	0.58	ND	ND	ND	ND	0.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZCH12	ND	ND	ND	3.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZDN9	ND	ND	ND	2.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZDN10	ND	ND	ND	2.8	ND	ND	ND	ND	0.08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZDN11	ND	ND	ND	4.6	ND	ND	ND	ND	0.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZDN12	ND	ND	ND	2.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZAK1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZAK2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZAK3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZAK4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZPN1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZPN2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZPN3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZPN4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZCH1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZCH2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZCH3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZCH4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZDN1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZDN2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZDN3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZDN4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZAK5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZAK6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZAK7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZAK8	ND	ND	ND	ND	ND															

FRSP results, 05-06 for season :
218 chemicals tested for, 119 date
blank coloured cells show no resid
- indicates not tested.
shade 1 = non-complain
Three pesticides accounted for 80
Samples were taken across three

No residues detected for these chemicals

Table with columns: Sampled, No. Detections, Acetochlor, Alachlor, Aldrin, Atrazine, azinphos-methyl, Azoxystrobin, Benalaxyl, Bendiocarb, Benodanil, BHC (alpha), BHC (beta), BHC (delta), Bifenthrin, Biflorin, Bitertanol, Bromacil, omphos eth, omphos propyl, Bupirimate, Buprofezin, Cadusafos. Rows include samples like May & Jun 06, Pumpkins, and Cabbages with various sample IDs and detection counts.

FRSP results, 05-06 for season :
218 chemicals tested for, 119 data
blank coloured cells show no residue
- indicates not tested.
#shade 1 = non-compliant
Three pesticides accounted for 80%
Samples were taken across three

Sampled	Captaol	carbofentioth	Carbofuran	Carbozin	chloridane, cis	chloridane, trans	chlorfenvinphos	chlorfiazuron	chlorobenzylpyrifos	chloral-dimeth	chlorzoluron	Chlozolinate	Clomazone	Coumaphos	Cyanazine	Cyanophos	Cyfluthrin	Cyhalothrin	Cyproconazole	Cyprodinil	DDO (2,4)	DDO (4,4)	DDE (2,4)	DDE (4,4)	DDT (2,4)	
May & Jun 06	Sample ID	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.005	0.01	0.01	0.005	0.02	0.02	0.01	0.01	0.01	0.01	0.02	0.005	0.005	0.005	0.005
Celery	20/SZAK2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZAK3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZAK4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZCH1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZCH2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZCH3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZCH4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZDN1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZDN2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZDN3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZDN4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZAK5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZAK6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZAK7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZAK8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZPN12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZCH9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZCH10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZCH11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZCH12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZDN9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZDN10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZDN11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Celery	20/SZDN12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZAK1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZAK2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZAK3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZAK4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZPN1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZPN2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZPN3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZPN4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZCH1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZCH2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZCH3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZCH4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZDN1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZDN2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZDN3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZDN4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZAK5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZAK6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZAK7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZAK8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZPN5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pumpkins	19/SZPN6	ND	ND	ND	ND	ND																				

FRSP results, 05-06 for season :
218 chemicals tested for, 119 data
blank coloured cells show no residue
- indicates not tested.
shade 1 = non-compliant
Three pesticides accounted for 80%
Samples were taken across three

Table with columns: Sampled, DDT (4,4'), Deltamethrin, Imetozol-methyl, Dichlorobell, Dichlorofenol, Dichlorofluand, Dichloran, Dichlorvos, Dicozol, Dicrotophos, Dieldrin, Diflufenican, Dimethomol, Dimethoate, Dinocap, Diphenylamine, Disulfoton, Dursol, Edifenphos, Endrin, Idrin, Aldehyd, Endrin, Ketone, EPN, Posiconazole, EPTC, Esfenvalerate. Rows include samples from May & Jun 06, Pumpkins, and Cabbages, each with a sample ID and 28 columns of residue data.

FRSP results, 05-06 for season :
218 chemicals tested for, 119 data
blank coloured cells show no residue
- indicates not tested.
shade 1 = non-compliant
Three pesticides accounted for 80%
Samples were taken across three

Table with columns: Sampled, Ethion, Ethoprophos, Eriadiazole, Erimphos, Fampfur, Fenamiphos, Fenarimol, Fenchlorphos, Fenitrothion, Fenobcarb, Inazaprop-eth, Feniclonil, Fenprophathrin, Fenpropimorph, Fenfentofen, Fenfenthion, Fenvalerate, Fluzilop-bur, Fluclucyprinate, Fludioxonil, Fluometuron, Flusilazole, Fluralofal, Fluralinate, Folpet, Furalaxyl. Rows include samples from May & Jun 06, Pumpkins, and Cabbages.

FRSP results, 05-06 for season :
218 chemicals tested for, 119 data
blank coloured cells show no residue
- indicates not tested.
#shade 1 = non-compliant
Three pesticides accounted for 80%
Samples were taken across three

Table with columns: Sampled, Furothiarcarb, bixyog-met, HCB, Heptachlor, azachlor, Epos, hexaconazole, Hexazinone, Mevthiazox, Imazali, Iodofenphos, brodifone, Isazoxphos, Isopropofos, Isoprocarb, hexosim met, Lepotophos, jna (gamma-), Linuron, Malathion, Metalaxyl, Methacryfos, Methidathion, Methoxychlor, Metolachlor, Metribuzin, Mevinphos. Rows include samples like May & Jun 06, Celery, Pumpkins, and Cabbages with various pesticide codes and results (e.g., 0.02, 0.01, ND).

FRSP results, 05-06 for season :
218 chemicals tested for, 119 data
blank coloured cells show no residue
- indicates not tested.
shade 1 = non-compliant
Three pesticides accounted for 80%
Samples were taken across three

Table with columns: Sampled, Nonacrophos, Metolachlor, Naled, Naproamamid, Nitrofen, tolal-isoprop, Norflurazon, Ometoate, Oxadiazin, Oxadixyl, Oxychloridan, Oxyfluorfen, Pachtobutrazol, triathion ethyl, thiametho xim, Penconazole, Vendamethalin, Phenothoate, Phorate, Phosalone, Phosmet, Phosphamidic, fenoxon, Butax, Pirimicarb, Prochloraz, Profenofos. Rows include samples from May & Jun 06, Pumpkins, and Cabbages.

